

Exhibit C to Section 7: Most Prevalent High Cost Conditions by Payer

Updated 11/01/2021

BCBSVT Primary (2020)

HSA	Malignancies	Neuropathy	Pneumonia	Diabetes	Fractures
OneCare	4.0%	4.1%	5.0%	4.6%	3.3%
Bennington	4.2%	2.4%	6.8%	6.1%	2.0%
Berlin	3.5%	4.5%	4.2%	4.3%	3.3%
Brattleboro	3.1%	3.6%	4.6%	5.1%	1.5%
Burlington	4.2%	4.1%	4.5%	4.3%	3.5%
Lebanon	4.2%	3.0%	6.8%	4.2%	3.0%
Middlebury	4.3%	4.4%	6.0%	6.3%	3.3%
Newport	3.8%	5.1%	6.5%	5.1%	2.4%
Rutland	4.3%	3.9%	6.4%	5.5%	2.7%
Springfield	2.2%	2.2%	5.9%	3.2%	4.3%
St. Albans	3.0%	4.0%	9.7%	6.1%	2.7%
St. Johnsbury	3.5%	5.1%	3.9%	6.8%	3.2%
Windsor	5.3%	2.9%	3.4%	2.4%	3.8%

BCBSVT Primary (2021)

HSA	Malignancies	Neuropathy	Diabetes	Fractures	Arrythmia
OneCare	4.3%	4.8%	5.3%	2.8%	2.4%
Bennington	6.1%	4.5%	7.5%	3.3%	2.2%
Berlin	4.7%	5.0%	5.9%	2.8%	2.1%
Brattleboro	4.3%	4.7%	7.0%	2.5%	1.8%
Burlington	4.3%	4.7%	4.3%	2.9%	2.4%
Lebanon	6.2%	4.3%	7.7%	3.4%	3.0%
Middlebury	5.0%	5.7%	7.2%	2.7%	2.9%
Newport	2.9%	5.3%	7.0%	1.3%	2.1%
Rutland	4.1%	4.4%	6.4%	2.6%	3.0%
Springfield	3.6%	3.8%	5.5%	3.8%	2.3%
St. Albans	3.5%	4.5%	6.8%	2.5%	2.8%
St. Johnsbury	3.8%	5.5%	6.6%	2.5%	2.5%
Windsor	4.5%	3.7%	6.8%	3.9%	1.1%

BCBSVT Self Funded UVMHC (2018)

HSA	Malignancies	Neuropathy	Pneumonia	Diabetes	Fractures
OneCare	0.5%	0.5%	0.7%	0.4%	0.3%
Berlin	0.0%	1.5%	1.2%	0.3%	0.0%
Burlington	0.6%	0.5%	0.6%	0.4%	0.3%
Lebanon	0.0%	0.0%	0.0%	0.0%	0.0%
Middlebury	0.5%	1.0%	1.5%	0.5%	0.0%
St. Albans	0.6%	0.6%	1.4%	0.2%	0.6%

BCBSVT Self Funded UVMMC (2019)

HSA	Malignancies	Neuropathy	Pneumonia	Diabetes	Fractures
OneCare	3.6%	3.8%	5.7%	4.3%	3.4%
Berlin	4.1%	3.3%	4.5%	2.3%	3.3%
Burlington	3.6%	3.8%	5.4%	4.3%	3.5%
Lebanon	0.0%	0.0%	12.5%	12.5%	0.0%
Middlebury	3.6%	4.0%	6.9%	8.8%	4.4%
St. Albans	3.6%	4.2%	9.7%	4.7%	2.9%
Windsor	0.0%	0.0%	0.0%	0.0%	0.0%

BCBSVT QHP (2018)

HSA	Malignancies	Neuropathy	Pneumonia	Diabetes	Fractures
OneCare	2.1%	1.5%	2.4%	1.8%	1.2%
Bennington	1.4%	2.9%	0.7%	2.2%	1.4%
Berlin	1.7%	1.7%	2.1%	1.3%	1.3%
Brattleboro	1.4%	1.5%	2.6%	1.7%	1.1%
Burlington	2.0%	1.3%	2.2%	1.7%	1.3%
Lebanon	2.5%	1.8%	0.9%	2.3%	1.2%
Middlebury	2.5%	2.0%	3.5%	1.8%	0.9%
Springfield	2.5%	1.6%	2.0%	2.0%	1.2%
St. Albans	2.3%	1.9%	4.8%	2.4%	1.1%

BCBSVT QHP (2019)

HSA	Malignancies	Neuropathy	Pneumonia	Diabetes	Fractures
OneCare	6.0%	4.2%	6.2%	5.2%	3.4%
Bennington	6.4%	4.4%	6.8%	5.1%	4.1%
Berlin	5.3%	4.9%	5.7%	4.6%	3.5%
Brattleboro	4.7%	2.7%	6.0%	5.1%	3.5%
Burlington	5.8%	4.2%	5.5%	4.6%	3.3%
Lebanon	8.5%	4.2%	5.8%	6.9%	4.7%
Middlebury	5.6%	4.3%	6.4%	5.3%	3.2%
Springfield	7.3%	3.7%	6.8%	7.5%	3.3%
St. Albans	6.0%	4.4%	11.5%	9.1%	2.7%
Windsor	7.6%	4.1%	4.5%	3.8%	3.0%

BCBSVT QHP (2020)

HSA	Malignancies	Neuropathy	Pneumonia	Diabetes	Fractures
OneCare	6.6%	5.2%	5.5%	5.3%	3.5%
Bennington	6.5%	5.8%	5.2%	5.8%	3.6%
Berlin	6.2%	5.8%	5.0%	5.1%	3.4%
Brattleboro	6.0%	3.7%	6.0%	5.3%	3.6%
Burlington	6.5%	5.3%	4.7%	4.5%	3.3%
Lebanon	9.5%	5.5%	4.3%	5.1%	3.9%
Middlebury	6.3%	5.6%	6.1%	5.4%	4.2%
Newport	5.2%	3.5%	8.2%	7.9%	3.0%
Springfield	7.0%	4.8%	6.0%	7.1%	3.8%
St. Albans	6.1%	5.1%	10.9%	9.1%	3.6%
Windsor	7.1%	3.6%	5.3%	4.4%	3.5%

BCBSVT QHP (2021)

HSA	Malignancies	Neuropathy	Diabetes	Fractures	Arrhythmia
OneCare	6.9%	5.9%	5.3%	3.6%	3.3%
Bennington	6.8%	6.4%	6.1%	3.7%	3.4%
Berlin	6.4%	7.0%	5.2%	2.8%	2.7%
Brattleboro	6.3%	3.4%	5.0%	4.5%	2.8%
Burlington	6.6%	5.6%	4.0%	3.5%	3.4%
Lebanon	11.0%	5.3%	5.3%	3.6%	3.2%
Middlebury	6.6%	6.6%	6.0%	3.4%	3.4%
Newport	6.1%	4.1%	7.6%	4.3%	3.2%
Springfield	8.0%	5.6%	7.3%	3.4%	4.3%
St. Albans	5.9%	6.6%	9.3%	4.7%	3.9%
Windsor	7.9%	5.4%	4.0%	4.6%	3.4%

Medicaid Expanded (2020)

HSA	Renal	Neuropathy	Pneumonia	Fractures	Diabetes
OneCare	2.3%	1.8%	4.3%	3.4%	1.7%
Bennington	2.5%	2.0%	4.4%	3.4%	1.7%
Berlin	1.7%	2.2%	4.4%	3.6%	1.8%
Brattleboro	2.3%	1.3%	3.6%	3.0%	0.9%
Burlington	2.3%	1.7%	3.4%	3.0%	1.7%
Lebanon	2.1%	1.4%	3.0%	4.2%	1.1%
Middlebury	2.4%	2.6%	4.3%	4.3%	2.3%
Morrisville	1.1%	1.2%	3.6%	3.1%	1.2%
Newport	2.1%	2.0%	5.3%	3.6%	2.3%
Out of State	1.8%	2.1%	4.1%	2.4%	1.8%
Randolph	2.3%	1.4%	2.4%	5.2%	1.1%
Rutland	2.6%	1.8%	5.1%	3.3%	1.9%
Springfield	3.2%	1.4%	5.0%	4.0%	1.8%
St. Albans	3.0%	2.3%	5.7%	3.2%	2.1%
St. Johnsbury	2.9%	1.9%	4.7%	3.7%	1.1%
Townshend	0.4%	1.6%	3.1%	3.1%	1.6%
Windsor	3.2%	2.5%	6.5%	3.6%	0.4%

Medicaid Expanded (2021)

HSA	Renal	Neuropathy	Diabetes	Fractures	Pneumonia
OneCare	1.6%	1.8%	1.8%	2.3%	1.2%
Bennington	1.5%	1.7%	1.4%	2.0%	1.4%
Berlin	1.2%	1.8%	1.7%	2.2%	1.1%
Brattleboro	1.8%	1.9%	1.8%	2.4%	1.0%
Burlington	1.4%	1.9%	2.0%	2.2%	0.7%
Lebanon	1.5%	1.5%	1.5%	2.4%	1.0%
Middlebury	1.0%	1.9%	2.0%	2.1%	0.7%
Morrisville	1.3%	1.5%	1.1%	2.4%	0.7%
Newport	1.4%	1.8%	1.8%	3.2%	1.5%
Out of State	1.3%	3.0%	3.0%	1.2%	1.0%
Randolph	0.9%	1.3%	1.3%	2.8%	0.7%
Rutland	2.7%	2.0%	2.1%	2.1%	1.9%
Springfield	1.6%	2.1%	2.2%	2.5%	1.2%
St. Albans	1.6%	1.6%	1.6%	2.6%	1.8%
St. Johnsbury	2.1%	1.7%	1.7%	2.4%	1.8%
Townshend	0.8%	0.8%	0.0%	1.2%	0.0%
Windsor	1.1%	2.5%	1.4%	2.1%	1.8%

Medicaid Traditional (2018)

HSA	Neuropathy	Pneumonia	Diabetes	Fractures	Renal
OneCare	5.3%	11.0%	4.5%	5.5%	4.1%
Bennington	5.9%	14.2%	4.6%	6.3%	4.8%
Berlin	5.3%	11.9%	3.4%	6.2%	3.3%
Brattleboro	3.6%	7.6%	3.2%	4.5%	2.5%
Burlington	4.5%	8.7%	3.4%	5.2%	3.8%
Lebanon	6.9%	8.8%	7.7%	6.3%	6.0%
Middlebury	5.0%	10.1%	3.9%	4.7%	3.1%
Newport	5.0%	12.0%	6.7%	5.2%	4.0%
Springfield	6.2%	12.7%	7.3%	5.6%	7.3%
St. Albans	10.7%	18.8%	9.4%	6.2%	7.2%
Windsor	4.1%	10.3%	1.9%	7.1%	3.1%

Medicaid Traditional (2019)

HSA	Neuropathy	Pneumonia	Diabetes	Fractures	Renal
OneCare	5.7%	10.8%	4.8%	5.5%	4.5%
Bennington	6.9%	12.6%	4.8%	6.4%	4.7%
Berlin	6.3%	9.2%	3.6%	5.7%	3.5%
Brattleboro	4.3%	8.8%	3.4%	4.5%	2.9%
Burlington	5.7%	7.7%	4.8%	5.4%	4.2%
Lebanon	5.1%	7.8%	4.9%	5.7%	4.7%
Middlebury	6.1%	10.1%	4.6%	5.0%	4.2%
Newport	6.4%	11.8%	6.6%	5.2%	5.1%
Randolph	5.9%	10.1%	4.6%	5.5%	3.6%
Rutland	5.0%	15.0%	4.5%	5.4%	5.1%
Springfield	5.2%	11.7%	5.4%	6.1%	5.7%
St. Albans	6.3%	17.4%	5.0%	5.7%	4.9%
St. Johnsbury	4.2%	9.5%	5.7%	5.4%	5.1%
Windsor	5.0%	9.0%	2.9%	6.7%	4.0%

Medicaid Traditional (2020)

HSA	Neuropathy	Pneumonia	Diabetes	Fractures	
OneCare	6.1%	9.0%	4.9%	5.3%	4.3%
Bennington	7.9%	11.2%	5.2%	6.5%	4.4%
Berlin	7.0%	7.5%	4.4%	5.6%	3.3%
Brattleboro	4.9%	6.9%	3.9%	5.3%	3.6%
Burlington	6.3%	6.5%	4.9%	5.2%	4.2%
Lebanon	5.4%	6.2%	5.4%	5.3%	4.3%
Middlebury	5.7%	8.3%	4.8%	4.7%	4.2%
Morrisville	3.2%	10.1%	3.1%	4.1%	2.9%
Newport	7.4%	10.6%	6.0%	5.1%	5.0%
Randolph	5.7%	8.2%	4.3%	5.2%	3.7%
Rutland	5.7%	11.5%	5.0%	4.7%	5.1%
Springfield	6.0%	10.6%	5.5%	5.5%	5.0%
St. Albans	6.6%	14.8%	5.0%	5.6%	4.8%
St. Johnsbury	5.4%	7.6%	5.5%	5.0%	4.7%
Windsor	6.4%	9.5%	3.6%	7.1%	4.0%

Medicaid Traditional (2021)

HSA	Neuropathy	Pneumonia	Diabetes	Fractures	Renal
OneCare	6.2%	4.1%	4.7%	4.0%	3.6%
Bennington	7.3%	4.2%	5.0%	4.6%	3.1%
Berlin	7.0%	3.8%	4.1%	4.6%	3.3%
Brattleboro	4.9%	3.3%	3.8%	3.3%	2.8%
Burlington	6.4%	3.0%	4.7%	3.7%	3.7%
Lebanon	5.7%	2.4%	4.3%	4.5%	3.5%
Middlebury	6.9%	3.7%	5.5%	3.2%	3.7%
Morrisville	3.7%	4.9%	3.0%	3.8%	2.3%
Newport	7.1%	5.0%	5.5%	4.0%	3.7%
Randolph	5.9%	4.3%	4.2%	3.6%	3.2%
Rutland	6.1%	5.0%	5.2%	4.0%	4.9%
Springfield	5.7%	5.1%	4.7%	4.2%	3.6%
St. Albans	6.6%	6.8%	5.3%	4.0%	3.9%
St. Johnsbury	5.8%	3.6%	5.5%	3.9%	3.5%
Windsor	5.5%	4.7%	3.2%	4.9%	2.4%

Medicare (2018)

HSA	Malignancies	Arrhythmia	CAD	Diabetes	Renal
OneCare	24.8%	21.0%	24.1%	23.5%	16.5%
Bennington	22.4%	21.0%	31.1%	30.7%	24.4%
Berlin	22.0%	20.7%	26.0%	23.9%	13.4%
Brattleboro	20.5%	18.8%	19.5%	20.9%	13.6%
Burlington	26.3%	21.0%	22.8%	21.8%	16.1%
Middlebury	27.5%	22.0%	22.4%	25.0%	18.5%
Springfield	26.4%	21.2%	26.3%	25.9%	19.4%
St. Albans	19.2%	21.7%	30.1%	28.9%	19.1%

Medicare (2019)

HSA	Malignancies	Arrhythmia	CAD	Diabetes	Neuropathy
OneCare	25.3%	21.8%	25.0%	23.4%	16.8%
Bennington	26.7%	21.2%	29.1%	21.9%	15.6%
Berlin	23.9%	21.5%	27.3%	23.9%	19.2%
Brattleboro	21.3%	21.3%	20.5%	20.7%	18.0%
Burlington	26.3%	21.7%	23.7%	22.4%	16.8%
Middlebury	28.0%	24.6%	23.8%	24.8%	16.8%
Springfield	26.2%	20.8%	26.2%	24.4%	16.4%
St. Albans	20.1%	22.4%	27.9%	29.5%	16.2%
Windsor	28.3%	21.1%	21.3%	21.2%	15.2%

Medicare (2020)

HSA	Malignancies	Arrhythmia	CAD	Diabetes	Neuropathy
OneCare	27.1%	23.4%	26.3%	23.1%	19.2%
Bennington	29.1%	23.8%	32.0%	22.4%	20.8%
Berlin	25.1%	21.8%	27.9%	24.3%	21.7%
Brattleboro	21.8%	23.8%	23.0%	21.2%	20.6%
Burlington	28.5%	23.5%	25.0%	22.2%	18.6%
Lebanon	26.9%	19.6%	21.3%	19.1%	16.5%
Middlebury	28.4%	25.6%	25.2%	23.4%	18.9%
St. Albans	21.9%	23.6%	29.6%	29.2%	18.5%
Windsor	33.6%	24.5%	22.9%	22.8%	19.1%

Medicare (2021)

HSA	Malignancies	Arrhythmia	CAD	Diabetes	Neuropathy
OneCare	25.9%	23.3%	26.0%	23.3%	18.9%
Bennington	28.8%	24.7%	32.0%	22.0%	20.7%
Berlin	25.0%	22.4%	28.1%	23.5%	22.0%
Brattleboro	20.9%	23.6%	23.0%	21.2%	21.4%
Burlington	28.1%	23.3%	24.9%	22.1%	19.6%
Lebanon	27.8%	19.1%	20.6%	17.8%	16.7%
Middlebury	29.2%	26.8%	27.1%	23.0%	19.8%
Rutland	22.1%	21.9%	21.2%	25.0%	13.2%
St. Albans	22.2%	24.6%	31.2%	29.9%	18.3%
Windsor	31.4%	24.1%	22.4%	22.6%	20.0%

MVP QHP (2020)

HSA	Malignancies	Neuropathy	Pneumonia	Diabetes	Fractures
OneCare	3.6%	3.6%	4.6%	4.9%	2.6%
Bennington	4.8%	5.1%	6.2%	5.8%	3.6%
Berlin	4.3%	3.2%	5.1%	4.3%	2.3%
Brattleboro	2.3%	2.3%	3.5%	4.9%	1.7%
Burlington	3.2%	3.1%	3.1%	3.4%	2.7%
Lebanon	4.5%	4.5%	3.9%	4.7%	2.7%
Middlebury	2.3%	2.4%	5.1%	5.7%	2.0%
Morrisville	3.5%	3.3%	4.7%	4.5%	1.8%
Newport	3.3%	4.6%	5.9%	5.9%	2.6%
Randolph	1.8%	4.0%	4.0%	5.4%	1.3%
Rutland	4.3%	5.0%	6.2%	6.7%	2.6%
Springfield	4.4%	3.9%	6.2%	7.4%	1.4%
St. Albans	3.4%	3.6%	7.0%	6.1%	3.4%
St. Johnsbury	4.7%	2.9%	2.9%	5.2%	2.5%

MVP QHP (2021)

HSA	Malignancies	Neuropathy	CAD	Diabetes	Arrythmia
OneCare	4.5%	5.2%	2.6%	5.9%	2.4%
Bennington	5.8%	8.2%	3.3%	7.0%	3.2%
Berlin	5.0%	4.5%	2.0%	5.1%	1.9%
Brattleboro	1.6%	4.9%	2.6%	5.5%	2.6%
Burlington	4.0%	4.0%	1.8%	3.8%	1.5%
Lebanon	5.9%	5.6%	3.0%	5.2%	2.1%
Middlebury	3.4%	4.4%	3.3%	7.5%	2.3%
Morrisville	4.4%	5.6%	1.9%	5.4%	2.3%
Newport	4.2%	6.5%	2.9%	6.5%	1.9%
Randolph	2.2%	6.3%	4.1%	6.6%	4.8%
Rutland	5.7%	6.1%	3.1%	8.0%	3.1%
Springfield	4.2%	4.2%	3.3%	8.7%	2.7%
St. Albans	4.2%	5.3%	3.1%	7.9%	2.7%
St. Johnsbury	5.3%	3.3%	2.0%	6.3%	3.6%

3.a.4 Five most prevalent high cost conditions

Members were identified as having conditions using claims data and the Johns Hopkins ACG system. Conditions were analyzed for cost to the network and prevalence was calculated for the most costly conditions. The top 5 of these high cost conditions by prevalence is presented here.

NOTE: All conditions identified from claims data. Due to inherent limitations of the claims data source, partial year prevalence data for 2021 **should not** be compared to historical prevalence of the same condition.