

The Blueprint for Health Quality Measurement:

The Blueprint measures quality in several ways, relying on NCQA for patient-centered medical home scoring and on HEDIS measures gathered through the state's all-payer claims database. The specific measures are listed below.

PCMH 2011 Content and Scoring

PCMH1: Enhance Access and Continuity A. Access During Office Hours** B. After-Hours Access C. Electronic Access D. Continuity E. Medical Home Responsibilities F. Culturally and Linguistically Appropriate Services G. Practice Team	Pts 4 4 2 2 2 2 4 20	PCMH4: Provide Self-Care Support and Community Resources A. Support Self-Care Process** B. Provide Referrals to Community Resources	Pts 6 3 9
PCMH2: Identify and Manage Patient Populations A. Patient Information B. Clinical Data C. Comprehensive Health Assessment D. Use Data for Population Management**	Pts 3 4 4 5 16	PCMH5: Track and Coordinate Care A. Test Tracking and Follow-Up B. Referral Tracking and Follow-Up** C. Coordinate with Facilities/Care Transitions	Pts 6 6 6 18
PCMH3: Plan and Manage Care A. Implement Evidence-Based Guidelines B. Identify High-Risk Patients C. Care Management** D. Manage Medications E. Use Electronic Prescribing	Pts 4 3 4 3 3 17	PCMH6: Measure and Improve Performance A. Measure Performance B. Measure Patient/Family Experience C. Implement Continuously Quality Improvement** D. Demonstrate Continuous Quality Improvement E. Report Performance F. Report Data Externally	Pts 4 4 4 3 3 2 20

**Must Pass Elements



Patient-Centered Medical Home
Standards Workshop 2011

6

Blueprint Quality Measures Provided by VHCURES

Source: Vermont Blueprint for Health Communities of Health Services PCMH Payment Expansion Design & Evaluation Committee December 11, 2012

Quality (HEDIS) Measures

1. AAB Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis
2. AAP Adults' Access to Preventive/Ambulatory Health Services
3. ABX Antibiotic Utilization
4. Antibiotics of concern, 2, 3,4-gen cephalosporins
5. Antibiotics of concern, Amoxicillin-clavulanate
6. Antibiotics of concern, Azithromycin and clarithromycin
7. Antibiotics of concern, Clindamycin
8. Antibiotics of concern, miscellaneous antibiotics

9. Antibiotics of concern, quinolones
10. All other antibiotics, absorbable sulfonamides
11. All other antibiotics, aminoglycosides
12. All other antibiotics, first generation cephalosporins
13. All other antibiotics, macrolides (other than azithromy)
14. All other antibiotics, miscellaneous antibiotics
15. All other antibiotics, penicillins (other than amoxicil)
16. All other antibiotics, tetracyclines
17. ADD Follow-Up Care for Children Prescribed ADHD Medication
18. Continuation
19. Initiation
20. ADV Annual Dental Visit - Medicaid only
21. AMB Ambulatory Care
22. Surgery Procedures
23. Emergency Room Visits
24. Observation Room Stays Resulting in Discharge
25. Outpatient Visits
26. AMM Antidepressant Medication Management
27. Acute Phase
28. Continuation
29. ART Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (18 and older)
30. ASM Use of Appropriate Medications for People with Asthma
31. AWC Adolescent Well-Care Visits
32. BCS Breast Cancer Screening
33. CAP Childrens and Adolescents' Access to Primary Care Practitioners
34. CCS Cervical Cancer Screening
35. CDC Comprehensive Diabetes Care
36. Eye Exam
37. HbA1c testing
38. LDL Testing
39. Monitoring for Diabetic Nephropathy
40. CHL Chlamydia Screening in Women
41. CMC Cholesterol Management for Cardiovascular Conditions
42. CWP Appropriate Testing for Children with Pharyngitis
43. FPC Frequency of Prenatal Care
44. FSP Frequency of Selected Procedures
45. Abdominal Hysterectomy
46. Percutaneous Coronary Interventions
47. Back Surgery
48. Coronary Artery Bypass Graft
49. Cardiac Catheterization
50. Cholecystectomy
51. Lumpectomy
52. Mastectomy
53. Prostatectomy
54. Tonsillectomy

55. Vaginal Hysterectomy
56. Bariatric Weight Loss Surgery
57. Total Hip Replacement - Medicare Only
58. Total Knee Replacement - Medicare Only
59. Carotid Endarterectomy
60. FUH Follow-Up After Hospitalization for Mental Illness
61. Follow-Up After Hospitalization For Mental Illness - 30-day
62. Follow-Up After Hospitalization For Mental Illness - 7-day
63. IAD Identification of Alcohol, Drug Services
64. Any
65. Inpatient
66. Intensive Outpatient
67. Outpatient ED
68. IET Initiation, Engagement of Alcohol, Drug Treatment
69. Engagement
70. Initiation
71. IPU Inpatient Utilization - General Hospital/Acute Care
72. Maternity Days
73. Maternity Discharge
74. Maternity ALOS
75. Medicine Days
76. Medicine Discharge
77. Medicine ALOS
78. Surgery Days
79. Surgery Discharge
80. Surgery ALOS
81. Total Days
82. Total Discharge
83. Total ALOS
84. LBP Use of Imaging Studies for Low Back Pain
85. LSC Lead Screening in Children Under Age 2
86. MPM Monitoring for Persistent Medications
87. MPT Mental Health Utilization
88. Any Services
89. Inpatient Services
90. Intermediate Services
91. Outpatient/ED Services
92. PBH Persistent Beta-Blocker Treatment After a Heart Attack
93. PCE Pharmacotherapy Management of COPD Exacerbation
94. Bronchodilators
95. Corticosteroids
96. PPC Prenatal and Postpartum Care
97. Postpartum
98. Timeliness
99. SPR Spirometry Testing for COPD
100. URI Appropriate Testing for Children with URI

101. W15 Well-Child Visits in the First 15 Months of Life
102. W34 Well-Child Visits Age 3 – 6

NCQA PCMH 2011

Six standards

1. Enhance Access and Continuity
2. Identify & Manage Patient Populations
3. Plan & Manage Care
4. Provide Self-Care & Community Support
5. Track & Coordinate Care
6. Measure & Improve Performance

Six must-pass elements

1. Access During Office Hours
2. Use Data for Population Management
3. Care Management
4. Support Self Care Process
5. Track Referrals & Follow-up
6. Implement Continuous QI